

DOC. NO.	REVISION	ISSUE	DATE
QF/RD/05	01	00	10-10-2019



## FALL ARREST BLOCK

Ref. No. TPGS 10



TESTED AS PER EN 360:2002



### PHYSICAL PARAMETERS

- Robust & durable plastic casing
- Has swivel anchorage eye at anchorage end
- Swivel steel snap hook with Load Indicator our Ref. PN 162 at attachment end
- Galvanized steel wire rope (option of having S.S. wire rope available)

### LENGTH

TPGS 7.5	:	7.5 Meters
TPGS 08	:	08 Meters
TPGS 09	:	09 Meters
TPGS 10	:	10 Meters

### CABLE

Material	:	Galvanized steel wire rope Ø4.5 (Min.)
Minimum Breaking Strength	:	15 kN or 1,530 kgf (Min.)

### WEIGHT

TPGS 7.5	:	4.040 kg ± 0.10 kg
TPGS 08	:	4.120 kg ± 0.10 kg
TPGS 09	:	4.200 kg ± 0.10 kg
TPGS 10	:	4.280 kg ± 0.10 kg

### VITAL TEST COMPLIANCE

Static Strength	:	13 kN or 1,325 kgf for 3 Minutes
Dynamic Performance	:	100 kg mass free fall of 600 mm with the breaking force of less than 6 kN & arrest distance less than 2 mts